

# INDEX MAPS.

**T.6N R.3W 2<sup>nd</sup> Mer.**

	329		329		329		328		328		328	
331	6	351	5	351	4	351	3	351	2	352	1	327
	349-		349		345		342		340		335	
331	7	348	8	345	9	341	10	340	11	334	12	327
	349		348		344		341		340		334	
331	18	348	17	344	16	341	15	339	14	334	13	327
	350		347		344		339		337		333	
330	19	347	20	343	21	339	22	337	23	333	24	326
	350		346		343		338		336		333	
331	30	346	29	343	28	338	27	336	26	332	25	326
	350		346		342		338		336		332	
330	31	345	32	342	33	337	34	335	35	332	36	326
	323-325		323-325		325-324		323-324		323-324		324	

**T.7N R.3W 2<sup>nd</sup> Mer.**

	361		360		360		359		359		359	
362	6	381	5	378	4	374	3	370	2	367	1	358
	381		381		377		374		370		366	
362	7	381	8	377	9	373	10	370	11	366	12	358
	382		380		377		373		369		365	
362	18	380	17	376	16	373	15	369	14	365	13	358
	382		380		376		372		368		365	
361	19	379	20	376	21	372	22	368	23	364	24	357
	382		379		375		372		368		364	
361	30	379	29	375	28	371	27	368	26	364	25	357
	383		378		375		371		367		363	
361	31	378	32	374	33	371	34	367	35	363	36	357
	356		356		356		355		355		355	

The figures on the lines refer to the page.

Township N<sup>o</sup>. 6. North of Range N<sup>o</sup>. 3 West of the 2<sup>nd</sup> Mer. And  
Ch. Lr.

### South Boundary

East On a Random line on the South Boundary of Sec. 31. T. N<sup>o</sup>. 6  
N. R. N<sup>o</sup>. 3 W.

24.77 To a Brook 10 miles wide, Course E.

40.00 Set a temp<sup>y</sup> post for the cor. of 1/4 Sec.

71.50 To a Brook. 12 miles wide, Course S. W.

80.00 Set a temp<sup>y</sup> post for the cor. of Sec. 31 & 32  
Land hilly;

East On a Random line on the South Boundary of Sec. 32. T.  
N<sup>o</sup>. 6. N. R. N<sup>o</sup>. 3 W.

40.00 Set a temp<sup>y</sup> post for the cor. of 1/4 Sec.

47.00 To a Brook 10 miles wide, Course S. W.

80.00 Set a temp<sup>y</sup> post for the cor. of Sec. 32 & 33.  
Land hilly; Timber Oak, & Hick<sup>y</sup>.

East On a Random line on the South Boundary of Sec. 33.  
T. N<sup>o</sup>. 6. N. R. N<sup>o</sup>. 3 W.

40.00 Set a temp<sup>y</sup> post for the cor. of 1/4 Sec.

79.50 To a Brook. 12 miles wide, Course S. E.

80.00 Set a temp<sup>y</sup> post for the cor. of Sec. 33 & 34  
Land soil and timber same as last mile.

East On a Random line on the South Boundary of Sec. 34.  
T. N<sup>o</sup>. 6. N. R. N<sup>o</sup>. 3 W.

40.00 Set a temp<sup>y</sup> post for the cor. of 1/4 Sec.

80.00 " " " " " " " " Sec. 34 & 35  
Land soil and timber same as last mile.

East On a Random line on the South Boundary of Sec. 35.  
T. N<sup>o</sup>. 6. N. R. N<sup>o</sup>. 3 W.

35.50 To a Brook 10 miles wide, Course North.

40.00 Set a temp<sup>y</sup> post for the cor. of 1/4 Sec.

T<sup>N</sup> 6. N. R. N<sup>o</sup> 3 W. 2<sup>nd</sup> Mer. Sec<sup>o</sup>:

80.00	Set a temporary post for the cor. of sec. 35 & 36. Same soil and timber same as last mile.
East	On a Random line On the South Boundary of sec. 36. T. N <sup>o</sup> 6. N. R. N <sup>o</sup> 3 W.
40.00	Set a temporary post for the cor. of 1/4 sec.
41.00	Go a brook - the mid. Curve N.
81.78	Intersect the N & S Range line. South of the cor. of T <sup>o</sup> 5, 5, & 6, 6. N. R <sup>o</sup> N <sup>o</sup> 2 & 3 W. Same soil and timber same as last mile.
West	On the true line On the South Boundary of sec. 36. T. N <sup>o</sup> 6. N. R. N <sup>o</sup> 3 W. var. 7° 15'
40.00	Set the temporary post on the true line for the cor. of 1/4 sec. from which a <del>White Oak</del> 8 in. dia. bears S 39 W. 12 in. dia. and a <del>Do.</del> 8 " " " S 29 W. 12 " "
80.00	Set the temporary post on the true line for the cor. of sec. 35 & 36 from which a Poplar 7 in. dia. bears N 60 E 24 in. dia. and a Sugar 10 " " " S 33 W. 28 " "
West	On the true line On the South Boundary of sec. 35. T. N <sup>o</sup> 6. N. R. N <sup>o</sup> 3 W.
40.00	Set the temporary post on the true line for the cor. of 1/4 sec. from which a W. Oak 12 in. dia. bears East. 33 in. dia. and a Sugar 8 " " " " " "
80.00	Set the temporary post on the true line for the cor. of sec. 34 & 35 from which a W. Oak 12 in. dia. bears N 44 E. 17 in. dia. and a Hick 8 " " " West - " "
West	On the true line On the South Boundary of sec. 34. T. N <sup>o</sup> 6. N. R. N <sup>o</sup> 3 W.
40.00	Set the temporary post on the true line for the cor. of 1/4 sec. from which a W. Oak 10 in. dia. bears S 68 E. 14 in. dia.

## T. N. 6. R. N. 37. 2nd Mer. Sec.

80.00	Under a Hogwood. 6 in dia: bears N 35 W 18 lbs dist; Set the trap: post on the true line for the cor. of sec. 33 & 34 from which a W. Oak - in dia: bears S 84 E. 26 lbs dist; and a W. Oak - " " " S 67 W. 5 " "
West	On the true line On the South Boundary of sec. 33. T. N. 6. R. N. 37.
40.00	Set the trap: post on the true line for the cor. of 1/4 sec. from which a Gum 12 in dia: bears S 67 E. 34 lbs dist; and a Hogwood 6 " " " N 10 W. 5 " "
80.00	Set the trap: post on the true line for the cor. of sec. 33 & 34 from which a W. Oak - in dia: bears S 75 E. 31 lbs dist; and a L. O. 12 " " " S 36 W. 6 " "
West	On the true line On the South Boundary of sec. 33. T. N. 6. R. N. 37.
40.00	Set the trap: post on the true line for the cor. of 1/4 sec. from which a W. Oak. 12 in dia: bears N 27 E. 15 lbs dist; and a Hick 8 " " " S 48 E. 11 " "
80.00	Set the trap: post on the true line for the cor. of sec. 31 & 32 from which a Gum 6 in dia: bears S 84 E. 5 lbs dist; and a W. Oak 10 " " " S 30 W. 19 " "
West	On the true line On the South Boundary of sec. 31. T. N. 6. R. N. 37.
40.00	Set the trap: post on the true line for the cor. of 1/4 sec. from which a W. Oak 12 in dia: bears S 75 E. 15 lbs dist; and a Hick 12 " " " N 80 E. 43 " "
81.78	To the cor. of T. N. 5. 5. & 6. 6 R. N. 3 & 4 W.
South	East Boundary. Between Ranges 2 & 3 West. T. N. 6 & 6. N. 6 miles & 3 ch. full 18 chain West of Harris Town cor.



T. N. 6. N. R. N. 37. 2<sup>nd</sup> Mer. Sec.

North	On the East Boundary of Sec. 36. T. N. 6. N. R. N. 37.
21.00	To a Brook 200 links wide, Corner S. E.
	Kept up the Creek near the middle
37.00	Left the creek to the West.
40.00	Set a post for the cor. of 1/4 Sec. from which
	Back 14 in. dist. bears S 64 W. 16 links west; to
	Back 8 " " " N 44 E. 5 " "
60.00	To a W. Oak. 24 in. dist. bears in the line.
80.00	Set a post for the cor. of sec. 35 & 36 from which
	Back 36 in. dist. bears S 85 W. 14 links west; to
	to 14 " " " S 81 E. 20 " "
	Apr. 6. 1811.

North	On the East Boundary of sec. 25 T. N. 6. N. R. N. 37.
30.00	To a Spring Corner West
40.00	Set a post for the cor. of 1/4 Sec. from which
	Run 30 in. dist. bears S 72 E. 10 links west; to
	Back. 18 " " " N 47 W. 24 " "
64.50	To a Back 10 in. dist. in the line.
80.00	Set a post for the cor. of sec. 24 & 25 from which
	Run 16 in. dist. bears N 25 E. 4 links west; to
	Super " " " S 84 W. 15 " "
	Willy Oak. S. end. —

North	On the East Boundary of sec. 24. T. N. 6. N. R. N. 37.
2.00	To a Brook 5 links wide, Corner West
16.50	" " W. Oak. 18 in. dist. in the line
40.00	Set a post for the cor. of 1/4 Sec. from which
	W. Oak. 36 in. dist. bears N 41 E. 22 links west; and to
	Back. 15 " " " S 43 W. 33 " "
62.00	To a Creek 150 links wide, Corner S. W.
80.00	Set a post for the cor. of sec. 13 & 24 from which
	Run 16 in. dist. bears N 37 W. 25 links west; to

## T. N. C. M. N. 37. 2nd. Mm. Ind. a.

Sugar 9 in. air. bears S27 E. 57 links north;  
Hilly Oak. Land.

North	On the East Boundary of sec. 13. T. N. C. M. N. 37.
5.00	To a Spring. Course S. N.
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which a Beck 12 in. air. bears S68 E. 10 links north; and a Sugar 16 " " " N48 N. 8 " "
44.00	To a creek 150 links wide, Course S. E.
50.00	To a Cherry 36 in. air. bears in the line.
80.00	Set a post for the cor. of sec. 12 & 13 from which a Sugar 16 in. air. bears S17 N. 9 links north; and a Beck 6 " " " N15 E. 23 " " Land 1st $\frac{1}{2}$ Hilly Oak land; 2nd $\frac{1}{2}$ Good land Timber Sugar, Beck & Oak.

North	On the East Boundary of sec. 12. T. N. C. M. N. 37.
25.00	To a Brook 4 links wide, Course West
30.00	" " " 6 " " " S. N.
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which a Beck 9 in. air. bears S27 N. 11 links north; and a Beck 7 12 " " " N40 N. 11 " "
80.00	Set a post for the cor. of sec. 1 & 12 from which a Beck 8 in. air. bears N49 E. 3 links north; and Oak 6 " " " S5 N. 16 " " Land hilly. Timber Oak.

North	On the East Boundary of sec. 1 T. N. C. M. N. 37.
4.00	To a Brook 5 links wide, Course N.
10.00	" " " 3 " " " S. N.
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which a Oak 12 in. air. bears N46 N. 7 links north; and Sugar 14 " " " S9 E. 17 " "

## T. N. 6. N. R. N. 3 4th 2nd Mer. Ind.

79.00	To a Brook 6 links wide, Corner West
81.00	" " Loc. 5 " " " S.W.
83.00	Set 15 chains East of the Twp 17 post. Move it for the cor. of Twp. 6 & 7. N. R. 2 213 W. from which a W Oak 40 in dia: bears S 20 W. 21 links dist; & a Sugar 14 " " " N 5 W. 39 " " Sandy hill; Sinter Oak.
North Boundary	
West	On the South Boundary of sec. 36, T. N. 7. N. R. N. 3 W.
40.00	Set a post for the cor. of 1/4 sec. from which W Oak 8 in dia: bears S 65 E 8 links dist; and a W Oak 21 " " " N 45 W. 26 " "
50.00	To a Creek 100 links wide, Corner South.
80.00	Set a post for the cor. of sec. 35 & 36, from which Buck 12 in dia: bears S 29 E. 9 links dist; & a Sugar 12 " " " N 5 W. 37 " " Hilly poor Oak land.
West	On the South Boundary of sec. 35 T. N. 7. N. R. N. 3 W.
38.00	To a Brook 6 links wide, Corner S.
40.00	Set a post for the cor. of 1/4 sec. from which Hogwood 14 in dia: bears S 57 E. 14 links dist; & a Buck 4 " " " N 81 W. 20 " "
80.00	Corner in a Spring to sec. 34 & 35, from which Buck 14 in dia: bears S 50 E. 11 links dist; and a Loc. 9 " " " N 37 W. 20 " " Good land Oak land.
West	On the South Boundary of sec. 34 T. N. 7. N. R. N. 3 W.
15.00	To a Brook 3 links wide, Corner S.
20.00	" " Loc. 10 " " " S.E.
40.00	Set a post for the cor. of 1/4 sec. from which



S. N. 6. N. R. N. 3 W. 2<sup>nd</sup> Mer. (Ind. 1)

	W. Oak 24 in. diam. trees N 53 W. 20 links each; & on Do. 18 " " " S 74 E. 43 " "
70.00	To at Brook 3 links side Course S.
80.00	Set a post for the cor. of sec. 33 & 34 from which Wick 18 in. diam. trees N 6 W. 13 links each; & on W. Oak 16 " " " N 73 E. 23 " " Hilly Oak land.
West	On the South Boundary of sec. 33. S. N. 7. N. R. N. 3 W.
25.00	To at Brook 3 links side, Course S.
28.75	" " Poplar 36 in. diam. stands in the line.
40.00	Set a post for the cor. of 1/4 sec. from which Wick 18 in. diam. trees S 63 W. 9 links each; & on Poplar 9 " " " N 77 E. 12 " " 80.00 Set a post for the cor. of sec. 32, & 33. from which Wick 10 in. diam. trees N 46 E. 16 links each; & on Buck 12 " " " S 30 E. 20 " " Hilly Oak Land.
West	On the South Boundary of sec. 32 S. N. 7. N. R. N. 3 W.
34.00	To at Oak 24 in. diam. in the line
40.00	Set a post for the cor. of 1/4 sec. from which Ash 6 in. diam. trees. S 57 W. 4 links each; & on Do. 7 " " " N 62 E. 17 " " 80.00 Set a post for the cor. of sec. 31 & 32 from which Sugar 12 in. diam. trees S 49 W. 40 links each; and on Do 9 " " " N 23 E. 38 " " Good Oak. Land. Apr. 8 <sup>th</sup> 1811.
West	On the South Boundary of sec. 31. S. N. 7. N. R. N. 3 W.
0.10	To at Brook 6 links side, Course S.
35.00	" " Do. 4 " " " " " "
40.00	Set a post for the cor. of 1/4 sec. from which



T. N. 6. N. R. N. 37. 2<sup>nd</sup> Mer. Ind.

	Chm 24 in dia: beam S 29 N. 8 lbs dash; to
	Aug 9 " " " N 23 E. 32 " "
44.00	Foot Brook. 25 links mid, beam N. N.
48.00	" " L. n. 25 " " " S. N.
55.00	" " " 25 " " " N. N.
61.00	" " L. n. 25 " " " S. N.
68.00	" " L. n. 25 " " " N. N.
80.00	Set a trap. post under water in search of the Range this but could not find it. Returned to the cor. of S. n. 6. 7. Range. 2137.

West Boundary		N. 6° 30'
North	On the East Boundary of pa. 36 T. N. 6. N. R. N. 47.	
40.00	Set a post for the cor. of 14 ac. from which Logwood 7 in dia: beam S 47 N. 40 lbs dash; to Heck 10 " " " N 38 N. 14 " "	
80.00	Set a post for the cor. of sec. 25, 136 from which a W. Oak. 18 in dia: beam N 7 E. 13 lbs dash; to W. Oak. 8 " " " S 64 E. 10 " " Found that Limb Oak & Hick	
North	On the East Boundary of pa. 25 T. N. 6. N. R. N. 47.	
40.00	Set a post for the cor. of 14 ac. Made the cor. on a beam 10 in dia: beam	
61.10	Foot Brook. 20 in dia: in the line	
80.00	Set a post for the cor. of sec. 24 & 25 from which a W. Oak. 20 in dia: beam N 17 N. 37 lbs dash; to Found nothing; Limb Oak & Hick; Set this & stony	
North	On the East Boundary of pa. 24 T. N. 6. N. R. N. 47.	
28.50	Foot Brook. 10 links mid, beam N.	
40.00	Set a post for the cor. of 14 ac. from which Heck 7 - in dia: beam N 55 N. 28 lbs dash;	

T. N. 6 N. R. N. 3. W. 2<sup>nd</sup>. Mer. Ind.

80.00	<p>             Next 79 in. dia: bears S 74 N. 42 hnds due;               Set a post for the cor. of sec. 13 &amp; 24 from which               Gum 7 in dia: bears S 87 N. 23 hnds due; &amp; a               Sugar 8 " " " S 45 E. 11 " "               Sand same as last mile.           </p>
<p>             North 40.50               On the East Boundary of sec. 13. T. N. 6. N. R. N. 4 W.               Set a post for the cor. of 1/4 sec. from which               W. Oak 19 in dia: bears S 41 N. 23 hnds due; &amp; a               Do 18 " " " S 50 E. 15 " "               58.25 To a Gum 18 in. dia: in the line.               80.00 Set a post for the cor. of sec. 12 &amp; 13. from which               W. Oak 20 in dia: bears S 6 E. 39 hnds due; &amp; a               Do 10 " " " S 30 N. 29 " "               Sand same as last mile.           </p>	
<p>             North 28.73               On the East Boundary of sec. 12. T. N. 6. N. R. N. 4 W.               To a Brook 20 in dia: runs West               40.00 Set a post for the cor. of 1/4 sec. from which               Gum 8 in dia: bears S 20 E. 32 hnds due; &amp; a               Poplar 6 " " " S 9 E. 7 " "               80.00 Set a post for the cor. of sec. 1 &amp; 12 from which               Buck. 8 in dia: bears S 28 E. 4 hnds due; &amp; a               Do 8 " " " S 3 E. 28 " "               Sand same as last mile but not strong           </p>	
<p>             North 23.60               On the East Boundary of sec. 1. T. N. 6. N. R. N. 4 W.               To a W. Oak 30 in dia: in the line               40.00 Set a post for the cor. of 1/4 sec. from which               W. Oak 7 in dia: bears S 10 E. 28 hnds due; &amp; a               Do 12 " " " S 66 N. 5 " "               47.60 To a B. Oak 10 in. dia: stands in the line.               80.00 Set a post, cor. of T. 6. 06 N. R. 3 &amp; 4 N. 6. miles from S. 13.           </p>	

T. N. C. N. R. N. 377 2<sup>nd</sup> Mer. Sec.

### Subdivisions

North	Between Sec. 35 & 36. T. N. C. N. R. N. 377
40.00	Set a post for the cor. of 1/4 sec. from which a B. Oak 6 in diam. bears N 2 E. 37 links dist; to Dogwood 6 in " " N 44 W. 17 " "
80.00	Set a post for the cor. of sec. 25, 26, 35, & 36 from which a Hick 10 in diam. bears N 2 E 56 links dist; to Dogwood - " " " N 14 E 15 " " Sand hill, rich soil, Sugar Oak, Hick, Poplar. Oak &c.
East	On a line from Sec. 25 & 36 T. N. C. N. R. N. 377
40.00	Set a temporary post for the cor. of 1/4 sec.
70.00	Set a Bush 100 links away, bearing S. W.
80.08	Enter into the N. R. line 73 links N. of the post cor. of Sec. 25 & 36. Same as other same as last mile.
West	On the line between Sec. 25 & 36 T. N. C. N. R. N. 377
40.04	Set the temporary post on the line at the av. dist for the cor. of 1/4 sec. from which a Bush 20 in diam. bears N 78 W. 30 links dist; to B. Oak 20 " " " N 4 E. 34 " "
80.08	Set the post cor. of sec. 25, 26, 35, & 36
North	Between Sec. 25 & 26. T. N. C. N. R. N. 377
40.00	Set a post for the cor. of 1/4 sec. from which a Bush 10 in diam. bears North 17 links dist; to Sugar 9 " " S 5 W. 11 " "
80.00	Set a post for the cor. of sec. 23, 24, 25 & 26 from which B. Oak 20 in diam. bears N 44 W. 28 links dist; to Dogwood 6 in " " S 65 E. 16 " " Sand soil and timber same as last mile.

T. N. 6. R. N. 37. 2<sup>d</sup> Mer. Ind.<sup>n</sup>

East On a Random line between Sec. 24 & 25 T. N. 6. R. N. 37.  
 40.00 Set a temporary post after the cor. to 74<sup>th</sup> Sec.  
 46.00 To a Brook 12 miles wide, Corner S.E.  
 72.00 " " Co. 100 " " " S.  
 80.20 Intersect the N.E. line 10 miles South of the post cor. of  
 Sec. 24 & 25. Land very hilly, Timber Oak, Hickory  
 & Beech.

West On the true line between Sec. 24 & 25 T. N. 6. R. N. 37.  
 40.10 Set the temporary post on the true line for the cor. to 74<sup>th</sup> Sec. at the  
 av. dist. from where to  
 a gum 10 mi. dist. bears S 87° E. 150 miles dist; & to  
 Birch 20 " " " Met. 0.53 " "  
 80.20 To the post cor. of sec. 23, 24, 25, & 26.

North Between Sec. 23 & 24 T. N. 6. R. N. 37.  
 32.00 To a Brook 12 miles wide, Corner East  
 40.00 Set a post for the cor. of 74<sup>th</sup> Sec. from where to  
 a gum 12 mi. dist. bears N 9° E. 36 miles dist; & to  
 N. Oak 20 " " " S 67° N. 8 " "  
 49.00 To a N. Oak 18 mi. dist. in the line.  
 80.00 Set a post for the cor. of sec. 13, 14, 23, & 24 from which  
 a gum 12 mi. dist. bears S 49° E. 15 miles dist; & to  
 Birch 10 " " " Met. 47° N. 7 " "  
 Land same as last mile.

East On a Random line between Sec. 13 & 24 T. N. 6. R. N. 37.  
 40.00 Set a temporary post for the cor. of 74<sup>th</sup> Sec.  
 50.00 To a Brook 100 miles wide, Corner South.  
 66.00 " " Co. 100. " " " N.  
 80.00 Intersect the N.E. line 12 miles South of the cor. to  
 13 & 24 Land same as last mile.



T. N. C. N. R. N. 377. 2<sup>nd</sup> Mer. Sud.

West On the true line between Sec. 13 & 14 T. N. C. N. R. N. 377.  
 40.00 Set the temporary post on the true line at the corner dish  
 for the cor. of  $\frac{1}{4}$  sec. from which  
 Sugar 6 mi. dist. bears N 80 E 9 miles dist; 1 mi  
 100. — " " " S 30 W 18 " "  
 80.00 To the cor. of sec. 13, 14, 23 & 24.

---

North Return Sec. 13 & 14 T. N. C. N. R. N. 377.  
 40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which  
 Buck 10 mi. dist. bears North 41 miles dist; 1 mi  
 100. 121, " " " N 49 E 23 " "  
 49.60 To a Brook 20 miles wide, Course East.  
 80.00 Set a post for the cor. of sec. 11, 12, 13 & 14 from which  
 Sugar 20 mi. dist. bears N 21 E 14 miles dist; 1 mi  
 N Oak 10 " " " S 38 E 3 " "  
 Sand point and timber line a last mile.

---

East On the true line between Sec. 12 & 13 T. N. C. N. R. N. 377.  
 12.00 To a Brook 100 miles wide, Course South.  
 40.00 Set a temporary post for the cor. of  $\frac{1}{4}$  sec.  
 80.00 Then set the N. & S. line 45 miles North of the  
 post cor. of sec. 12 & 13.  
 Sand point a last mile.

---

West On the true line between Sec. 12 & 13 T. N. C. N. R. N. 377.  
 40.00 Set the temporary post at the corner dish on the true line for the  
 cor. of  $\frac{1}{4}$  sec. from which  
 Buck 10 mi. dist. bears N 74 W 9 miles dist; 5 mi  
 Buck 7 " " " N 53 E 9 " "  
 80.00 To the post cor. of sec. 11, 12, 13 & 14

---

North Return Sec. 11 & 12 T. N. C. N. R. N. 377.  
 40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which

V. N. C. N. R. N. 3 N. 2<sup>nd</sup> Mer. (Ind.)

Dogwood 6 in. diam? bears S 19 E. 26 links dist; to  
 Sugar. 10 " " " N 36 W. 15 " "  
 61.50 To a Brook 20 links wide, Course S. E.  
 66.50 " " 20 " " " S. W.  
 72.00 " " 20 " " " S. E.  
 80.00 Set a post for the cor. of sec. 1, 2, 11, & 12 from which a  
 Sugar 12 in. diam? bears S 72 E. 32 links dist; to  
 Cherry 12 " " " N 72 W. 4 " "  
 Sand hills and thick timber Buck, Ash, Oaks  
 Poplar.

East On a Random line between Sec. 1 & 12 T. N. 6 N. R. 3 N.  
 15.50 To a Brook 100 links wide, Course S.  
 40.00 Set a temporary post for the cor. of ~~1/4~~ sec.  
 78.00 To a Brook 10 links wide, Course S. W.  
 84.00 Intersect the N. 2<sup>nd</sup> line at 12 miles North  
 of the post cor. of sec. 1 & 12.  
 Sand forms all last mile.

West On the true line between Sec. 1 & 12 T. N. 6 N. R. 3 N.  
 40.00 Set the temporary post at the aver. dist; on the true line  
 for the cor. of 1/4 sec. from which a  
 Buck 12 in. diam? bears N 79 E. 23 links dist; to  
 Oak 10 " " " N 62 W. 4 " "  
 80.00 To the post cor. of sec. 1, 2, 11, & 12.

North Between Sec. 34 & 35 T. N. 6 N. R. 3 N.  
 40.00 Set a post for the cor. of 1/4 sec. from which a  
 Poplar 7 in diam? bears S 52 E. 20 links dist; to  
 Gum 10 " " " S 57 W. 39 " "  
 80.00 Set a post for the cor. of sec. 26, 27, 34, & 35 from which  
 a Sugar 10 in. diam? bears S 35 W. 12 links dist; to  
 Oak 12 " " " S 57 E. 19 " "

T. N<sup>o</sup> 6. N.R. N<sup>o</sup> 37. 2<sup>nd</sup> Mer. Ind:

Sandy hills; Timber Oak, &amp; Hickory

East On a Random line between Sep. 26 & 35 T. N<sup>o</sup> 6. N.R. 37.  
 40.00 Set a trap post for the cor. of  $\frac{1}{4}$  Sec.  
 52.00 To a Brook. 19 miles S., Course S.  
 79.90 Enter cut the N. & S. line 20 miles South of the cor. of  
 Sep. 25, 26, 35 & 36. Land same all last mile.

West On the true line between Sep. 26 & 35 T. N<sup>o</sup> 6. N.R. 37.  
 39.95 Set the trap post cor. of  $\frac{1}{4}$  Sec. at the aver. dist. on  
 the true line from which  
 Poplar 8 in. dist. bears S. 77° N. 28 miles dist. to a.  
 Dogwood 8, " " S. 3 E. 19 " "  
 79.90 To the cor. of Sep. 26, 27, 34 & 35

North Return Sep. 26 & 27 T. N<sup>o</sup> 6. N.R. 37.  
 8.00 To a Brook. 12 miles S., Course East.  
 23.00 To a Hickory 12 in. dist. in the line.  
 40.00 Set a post for the cor. of  $\frac{1}{4}$  Sec. from which  
 N. Oak. 10 in. dist. bears S. 15° N. 31 miles dist. to  
 Dogwood 7, " " N. 34 E. 17 " "  
 47.00 To a Spring, Course West  
 80.00 Set a post for the cor. of Sep. 22, 23, 26 & 27 from which  
 N. Oak. 12 in. dist. bears West. 7 miles dist. to  
 Poplar 12, " " S. 71 E. 30 " "  
 Land same all last mile.

East On a Random line between Sep. 23 & 26 T. N<sup>o</sup> 6. N.R. 37.  
 40.00 Set a trap post for the cor. of  $\frac{1}{4}$  Sec. from  
 80.00 Enter cut the N. & S. line 18 miles North of post cor.  
 of Sep. 23, 24, 25, & 26.  
 Land and timber same all last mile.

T. N. C. N. R. N. 3 W. 2<sup>nd</sup> Mer. Sec.

- West. On the true line between Sec. 23 & 26, T. N. C. N. R. N. 3 W.
- 40.00 Set the temporary post on the true line at the corner which is the cor. of  $\frac{1}{4}$  sec. from which a  
 Poplar 18 mi. dist. bears South 8 miles dist; to  
 W. Oak, 24 " " " S 74 E. 7 " "
- 80.00 To the post cor. of sec. 22, 23, 26 & 27

- West. Between Sec. 14 & 23, T. N. C. N. R. N. 3 W.
- 40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which a  
 Sugar. 7 mi. dist. bears S 80 E. 44 miles dist; to  
 Do. 6 " " " S 54 E. 22 " "
- 53.50 To a Brook. 12 miles wide, Corner N. E.
- 58.00 " Do. 12 " " " S. E.
- 60.00 " " Do. 12 " " " N. E.
- 66.00 To N. B. side of the above creek.
- 80.00 Set a post for the cor. of sec. 14, 15, 22 & 23 from which a  
 W. Oak, 20 mi. dist. bears East, 25 miles dist; to  
 Do. 10 " " " S 41 W. 39 " "
- Sand, rolling, Timber Oak, Hickory, W. J. Longwood  
 Oak, Hickory

- South. On a Random line between Sec. 22 & 23, T. N. C. N. R. N. 3 W.
- 9.50 To a Brook. 12 miles wide, Corner East
- 80.20 Subsect the East & West line 85 miles East of the cor.  
 of sec. 22, 23, 26 & 27.  
 Land the same as last mile.

- North. Between Sec. 33 & 34, T. N. C. N. R. N. 3 W.
- 40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which a  
 W. Oak, 12 mi. dist. bears N. 14 E. 31 miles dist; to  
 W. Oak, 18 " " " N 64 W. 15 " "
- 81.00 Set a post for the cor. of sec. 27, 28, 33 & 34, from which a  
 Dogwood 6 mi. dist. bears S 79 W. 32 miles dist; to



T. N. C. N. R. N. 377. 2<sup>nd</sup>. Mer., Ind.,

Logan's Co in deer beams S 20 N. 6 W. 6 miles dist;  
S. Oak 12 mi. deer beams S 42 N. 19 W. 19 miles dist; to  
Heick 10 " " " N 70 E 23 " "

East On a Random line between Sec. 27 & 34 T. N. C. N. R. 377.  
40.00 Set a temporary post for the cor. of 1/4 Sec.  
47.00 To a Brook 10 miles in, Corner St.  
80.00 Enter out the N. & S. line 14 miles South of the post cor.  
of sec. 26, 27, 34 & 35.  
Land same as on the last run.

West On the true line between Sec. 27 & 34 T. N. C. N. R. 377.  
40.00 Set the temporary post at the av. dist on the true line  
for the cor. to 1/4 Sec. from which  
N. Oak 12 mi. deer beams S 42 N. 19 W. 19 miles dist; to  
Heick 10 " " " N 70 E 23 " "  
80.00 To the post cor. of sec. 27, 28, 33 & 34

North Between Sec. 27 & 28 T. N. C. N. R. 377.  
40.00 Set a post for the cor. of 1/4 Sec. from which  
N. Oak 12 mi. deer beams S 37 E. 19 miles dist; to  
10 " 15 " " " S 87 N. 35 " "  
80.00 Set a post for the cor. of sec. 21, 22, 27 & 28 from which  
a Heick 10 mi. deer beams S 54 N. 11 W. 11 miles dist; to  
N. Oak 20 " " " S 45 E. 33 " "  
Land same as on the last mile

East On a Random line between Sec. 22 & 27 T. N. C. N. R. 377.  
40.00 Set a temporary post for the cor. of 1/4 Sec.  
49.90 Enter out the N. & S. line 11 miles South of the cor. of  
sec. 22, 23, 26 & 27 Land same as last mile.

West On the true line between Sec. 22 & 27 T. N. C. N. R. 377.  
39.95 Set the temporary post at the av. dist on the true line

339

T. N. C. N. R. N. 3 W. 2nd Mer. Sec.

for the cor. of  $\frac{1}{4}$  sec. from which a  
 W. Oak. 12 in. dia. bears S47. 63 huts dist; to  
 79.90 To the post cor. of sec. 21. 22, 27, & 28.

North Between Sec. 21 & 22 T. N. C. N. R. N. 3 W.  
 40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which a  
 W. Oak. 12 in. dia. bears N82W. 22 huts dist; to  
 R. Oak. 18 " " S53E 13 " "  
 80.00 Set a post for the cor. of sec. 15. 16. 21 & 22 from which  
 a Log made 6 in dia. bears S31E. 14 huts dist; to  
 W. Oak. 12 " " N44W. 18 " "  
 Land very bushy; Timber Oak, Hickory

East On a Random line between Sec. 15 & 22 T. N. C. N. R. N. 3 W.  
 40.00 Set a temporary post for the cor. of  $\frac{1}{4}$  sec.  
 53.50 To a Brook 10 huts wide, Corner S.  
 80.00 Enter out the N & S line 10 huts South of the post  
 cor. of sec. 14. 15, 22, & 23.  
 Land same as last mile.

West On the true line between Sec. 15 & 22 T. N. C. N. R. N. 3 W.  
 40.00 Set the temporary post at the cor. dist on the true line  
 for the cor. to  $\frac{1}{4}$  sec. from which a  
 W. Oak. 10 in. dia. bears S32E 18 huts dist; to  
 Log made 7 " " S51W. 18 " "  
 80.00 To the post cor. of sec. 15. 16. 21 & 22.

North Between Sec. 14 & 15 T. N. C. N. R. N. 3 W.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 not established night  
 80.00 Set a post for the cor. of sec. 10. 11. 14 & 15 from which a  
 W. Oak. 12 in. dia. bears N85W. 41 huts dist; to  
 R. 10 " " N44E. 22 " "

T. N<sup>o</sup> 6. N.R. N<sup>o</sup> 377. 2<sup>nd</sup> Mer. Sec<sup>d</sup>

East On a Random line between Sec. 11. & 14 T. N<sup>o</sup> 6. N.R. N<sup>o</sup> 377.  
 19.50 To a Brook 12 units wide, Course S.E.  
 22.00 " " Do. 10 " " " S.  
 40.00 Set a temporary post for the cor. of  $\frac{1}{4}$  sec.  
 66.50 To a Spring Course South.  
 79.90 Intersect the N & S line 18 units South of the post cor. of sec.  
 11. 12. 13. & 14. Sound same as last miles

West On the true line between Sec. 11. & 14 T. N<sup>o</sup> 6. N.R. N<sup>o</sup> 377.  
 39.95 Set the temporary post at the arbor dish on the true line  
 for the cor. to  $\frac{1}{4}$  sec. from which a  
 Dogwood 6 in. dia. bears N 82 W. 39 lbs dist; to  
 Hickory 10 " " " N 25 W. 3 " "  
 79.90 To the post cor. of sec. 10. 11. 14. & 15

North Return Sec. 10. & 11 T. N<sup>o</sup> 6. N.R. N<sup>o</sup> 377.  
 11.00 To a Brook 12 units wide, Course East.  
 40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which a  
 Sugar 10 in. dia. bears S 45 E. 21 units dist; to  
 Hickory 10 " " " N 35 W. 8 " "  
 46.50 To a Brook 12 units wide, Course S.E.  
 48.50 " " Do. 12 " " " S.W.  
 80.00 Set a post for the cor. of sec. 2, 3. 10 & 11 from which a  
 Poplar 8 in. dia. bears S 69 E. 39 units dist; to a  
 B. Oak 8 " " " S 73 W. 4 " "  
 Sound nothing; Imito Oak & Hickory; very bushy.

East On a Random line between Sec. 2 & 11 T. N<sup>o</sup> 6. N.R. N<sup>o</sup> 377.  
 40.00 Set a temporary post for the cor. of  $\frac{1}{4}$  sec.  
 73.50 To a Brook 18 units wide, Course S.E.  
 80.10 Intersect the N & S line at cor. of sec. 1. 2. 11. & 13  
 Sound Soil and timber same as last miles.

*T. N. 6. N. R. N. 3 W. 2nd Mer. Ind.*

*West* On the true line between Sec. 2 & 11. *T. N. 6. N. R. 3 W.*  
 40.00 Set the temporary post at the arm. dist. on the true line  
 for the cor. of the  $\frac{1}{4}$  sec. from which a  
 Maple 8 in dia. bears S 89 E. 19 links dist; to  
 Hickory 9 " " S 21 W. 24 " "  
 80.00 To the post cor. of sec. 2, 3, 10 & 11

*North* Return Sec. 15 & 16. *T. N. 6. N. R. N. 3 W.*  
 20.00 To a Brook 8 links wide, Corner East  
 40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which a  
 B. Oak. 20 in dia. bears North 5 links dist; to  
 Magnolia 7 " " S 87 W. 27 " "  
 80.00 Set a post for the cor. of Sec. 9, 10, 15 & 16 from which a  
 W. Oak. 8 in dia. bears N 64 W. 24 links dist; to  
 Poplar 9 " " S 25 W. 6 " "  
 Same size and timber. Same as the last mile

*East* On a Meridian line between Sec. 10 & 15. *T. N. 6. N. R. 3 W.*  
 40.00 Set a temporary post for the cor. of  $\frac{1}{4}$  sec.  
 45.50 To a Brook. 5 links wide, Corner N.  
 80.00 Intersect the N & S line 8 links South of the post cor.  
 of sec. 10, 11, 14 & 15.  
 Same the same as last mile.

*West* On the true line between Sec. 10 & 15. *T. N. 6. N. R. 3 W.*  
 40.00 Set the temporary post at the arm. dist. on the true line  
 for the cor. of  $\frac{1}{4}$  sec. from which a  
 B. Oak. 24 in dia. bears N 78 W. 23 links dist; to  
 W. Oak. 18 " " S 45 W. 16 " "  
 80.00 To the post cor. of sec. 9, 10, 15 & 16.

*North* Return Sec. 9 & 10. *T. N. 6. N. R. N. 3 W.*  
 40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which a



I. N. C. M. N. 3 W. 2<sup>nd</sup> Mer. Ind.

W. Oak. 12 in dia: bears S 52 W. 15 miles due; 10  
 Poplar 10 " " " S 19 E. 20 " "  
 57.65 To a W. Oak. 20 in dia: stands in the line.  
 80.00 Set a post for the cor. of sec. 3, 4, 9 & 10 from which a  
 Poplar. 7 in dia: bears N 57 E. 25 miles due; 10  
 109. 10 " " " N 39 W. 15 " "  
 Sande hills; first thin. Timber Oak, & Hickory

East On a Random line between Sec. 3 & 10 I. N. C. M. N. 3 W.  
 40.00 Set a temporary post for the cor. of 1/4 sec.  
 79.85 Intersect the N & S line at post cor. of sec. 2, 3, 10 & 11  
 Sande soil under timber some as last mile.

West On the true line between Sec. 3 & 10 I. N. C. M. N. 3 W.  
 39.92 1/2 Set the temporary post at the acc. dist on the true line  
 for the cor. to 1/4 sec. from which a  
 79.5 W. Oak. 20 in dia: bears S 40 W. 15 miles due; 10  
 Hickory 10 " " " S 88 E. 55 " "  
 79.85 To the post cor. of sec. 3, 4, 9 & 10.

North Return Sec. 32 & 33 I. N. C. M. N. 3 W.  
 40.00 Set a post for the cor. of 1/4 sec. from which a  
 Hickory 10 in dia: bears N 64 E. 9 miles due; 10  
 W. Oak. 8 " " " S 77 W. 21 " "  
 67.85 To a Poplar 12 in dia: stands on the line.  
 80.00 Set a post for the cor. of sec. 28, 29, 32, & 33 from which a  
 W. Oak. 12 in dia: bears S 76 W. 59 miles due; 10  
 109. 8 " " " N. 25 E. 4 " "  
 Sande rolling; Timber Oak, & Hickory.

East On a Random line between Sec. 28 & 33 I. N. C. M. N. 3 W.  
 40.00 Set a temporary post for the cor. of 1/4 sec.  
 80.12 Intersect the N & S line 18 miles South of the post cor.

## T. N. 6. N. R. N. 3 W. 2nd Mer (Ind. 7)

of Sep. 27, 28 33. 134.

Land first and timber same as last mile.

West On a true line between Sec. 28 & 33. T. N. 6. N. R. N. 3 W.  
 40. 00 Get the temp. post for the cor. to 1/4 Sec. at the aver. dist.  
 on the true line from which a  
 W. Oak 20. in. diam. bears G. 37. N. 22. links dist. 8 a  
 Do. 18. " " " " G. 56. E. 41. " "  
 80. 00 To the post cor. of Sec. 28. 29. 32 & 33.

North Between Sec. 28 & 29. T. N. 6. N. R. N. 3 W.  
 40. 00 Get a post for the cor. to 1/4 Sec. from which a  
 W. Oak 10. in. diam. bears G. 84. E. 18. links dist. 8 a  
 Do. 12. " " " " G. 3. W. 28. " "  
 80. 00 Get a post for the cor. of Sec. 20. 21. 28 & 29. from which  
 a Dogwood 6. in. diam. bears G. 86. N. 21. links dist. 8 a  
 Do. 6. " " " " East 14. " "  
 The 1<sup>st</sup> 1/2 mile over hilly brushy land. &c.

East On a Random line between Sec. 21. & 28. T. N. 6. N. R. N. 3 W.  
 20. 00 To a Brook 10. links wide; Course N. W.  
 40. 00 Get a Temp. post for the cor. to 1/4 Sec.  
 80. 10 Intersect the N. & E. line 16 links N. of the post cor.  
 of Sec. 21. 22. 27. & 28. Land same as the last mile.

West On the True line Between Sec. 21. & 28. T. N. 6. N. R. N. 3 W.  
 40. 05 Get the temp. post at the aver. dist. on the true line for the  
 cor. of the 1/4 Sec. from which a  
 Hickory 10 in. diam. bears S. 17 N. 20 links dist. and  
 W. Oak 12. " " " " N. E. 9 " "  
 80. 10 To the post cor. of Sec. 20. 21. 28 & 29

North Return Sec. 20. & 21. T. N. 6. N. R. N. 3 W.

T. N. 6. N. R. N. 3 W. 2<sup>nd</sup> Mer. Ind.

- 40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which a  
Sugar 10 in. dia. beams N 25 E. 103 units dist; &  
B Oak. 9 " " N 2 E. 63 " "
- 65.00 To a Post 10 units wide, corner N. 78.
- 80.00 Set a post for the cor. of Sec. 16. 17. 20 & 21 from which  
a W. Oak 10 in. dia. beams N 70 E. 23 units dist; &  
Sugar 12 " " " S 75 W. 11 " "  
Sands hilly; Timber Oak, Hickory.

- East On a Random line between Sec. 16 & 21 T. N. 6. N. R. 3 W.
- 40.00 Set a temporary post for the cor. of  $\frac{1}{4}$  sec.
- 79.92 Enter sect the N & S line 12 units North of the post cor.  
of sec. 15-16. 21 & 22  
Sands flat and timber same as last mile

- West On the true line between Sec. 16 & 21 T. N. 6. N. R. 3 W.
- 39.96 Set the temporary post on the true line for the cor. of  $\frac{1}{4}$  sec.  
at the cor. dist; from which a  
B Oak. 20 in. dia. beams East. 20 units dist; &  
Hickory 10 " " " North 7 " "
- 79.92 To the post at cor. of sec. 16. 17. 20 & 21.

- North Return Sec. 16 & 17 T. N. 6. N. R. 3 W.
- 40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which a  
W. Oak 20 in. dia. beams North 79 units dist; &  
80.00 Set a post for the cor. of sec. 8. 9. 16. & 17 from which a  
W. Oak 18 in. dia. beams N 71 W. 45 units dist; &  
Lp 12 " " " S 37 E. 18 " "  
Sands soft and timber same as last mile.

- East On a Random line between Sec. 9 & 16 T. N. 6. N. R. 3 W.
- 40.00 Set a temporary post on the Random line for cor. to  $\frac{1}{4}$  sec.
- 80.00 Enter sect the N & S line 15 units North of the cor.

T. N<sup>o</sup> 6. N.R. N<sup>o</sup> 37. Q<sup>u</sup> M<sup>u</sup>. Ind.

of Sec. 9, 10, 15, & 16.

Land same as last mile.

West On the true line between Sec. 9 & 16. T. N<sup>o</sup> 6. N.R. N<sup>o</sup> 37.  
4000 Set the temporary post at the av. dist. in the true line  
for the cor. of  $\frac{1}{4}$  sec. from which a  
Wick 12 mi. dist. bears S 72 W. 53 huts dist; to  
W. Oak. 12 " " " S 5 E. 42 " "  
8000 To the post in the true cor. of sec. 8, 9, 16 & 17

North Between Sec. 8 & 9 T. N<sup>o</sup> 6. N.R. N<sup>o</sup> 37.  
4000 Set a post for the cor. of  $\frac{1}{4}$  sec. from which a  
W. Oak. 20 mi dist. bears South 30 huts dist;  
8000 Set a post for the cor. of sec. 4, 5, 8 & 9 from which a  
W. Oak. 19 mi dist. bears N 36 E. 12 huts dist; to  
S. 10 " " " S 16 W. 11 " "  
Land soil and timber same as last mile.

East On a true line between Sec. 4 & 9 T. N<sup>o</sup> 6. N.R. N<sup>o</sup> 37.  
1800 To a water course. Course N.W.  
4000 Set a temporary post for the cor. of  $\frac{1}{4}$  sec.  
7990 Intersect the N.W. line 12 huts North of the post cor. of  
Sec. 3, 4, 9 & 10.  
Land soil and timber same as last mile.

West On the true line between Sec. 4 & 9 T. N<sup>o</sup> 6. N.R. N<sup>o</sup> 37.  
3995 Set the temporary post at the av. dist. in the true line  
for the cor. of  $\frac{1}{4}$  sec. from which a  
Log made 6 mi. dist. bears S 74 E. 19 huts dist; to  
Sum. 18 " " " N 42 W. 23 " "  
4990 To the post cor. of Sec. 4, 5, 8 & 9.

North Between Sec. 31 & 32 T. N<sup>o</sup> 6. N.R. N<sup>o</sup> 37.



T. N. 6. N. R. N. 3. W. 2<sup>nd</sup> Mer. Ind.

6.50 To a Brook 10 miles wide, Course S. W.

40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which a  
B. Oak 20 in. dia. bears S 16 E. 23 links dist; & a  
Hickory 7 " " " N 77 E. 6 " "

80.00 Set a post for the cor. of sec. 29, 30, 31 & 32 from which  
a Gum 8 in dia. bears S 29 W. 30 links dist; and a  
B. Oak 20 " " " N 36 W. 29 " "  
Lands rolling; timber Oak, & Hickory

East On a Random line between Sec. 29 & 30 T. N. 6. N. R. 3 W.

40.00 Set a temporary post for the cor. of  $\frac{1}{4}$  sec. from a

80.00 Intersect the N & S line 10 links North of the first cor.  
Cosec. 28, 29, 32 & 33

Lands soil and timber same as last mile.

West On the true line between Sec. 29 & 30 T. N. 6. N. R. 3 W.

40.00 Set the temporary post at the aver. dist. on the true line for  
the cor. to  $\frac{1}{4}$  sec. from which a

Poplar 12 in dia. bears S 4 E. 18 links dist; & a

N. Oak 9 " " " S 84 E. 20 " "

80.00 To the post cor. of sec. 29, 30, 31 & 32

North Between Sec. 29 & 30. T. N. 6. N. R. N. 3 W.

7.40 To a B. Oak, 20 in dia. stands in the line.

40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which a  
W. Oak 12 in. dia. bears N 21 E. 14 links dist; & a  
Hogwood 7 " " " S 7 E. 37 " "

80.00 Set a post for the cor. of sec. 19, 20, 29 & 30 from which

W. Oak 12 in. dia. bears N 10 E 19 links dist; & a

Do. 10 " " " N 38 E. 45 " "

Lands very hilly & brushy, thin soil;

East On a Random line between Sec. 20 & 29 T. 6 N. R. 3 W.

V. No 6. N. R. No 3. W. 2nd. Mrs. Ind.:

40.00 Set a temporary post for the cor. of  $\frac{1}{4}$  cu.

80.00 Intersect the N3 line 12 miles North of the foot cr  
of sec. 20, 21, 28 & 29

Quads sort em do timbu Same as last mile.

West On the true line between Sep. 20. & 29 J. N. 6. N. R. 37.

240.00 Set the transport post at the arr. dist on the true line from the cor. to  $\frac{1}{4}$  sec. from which a

Logan's Cove. air temp.  $25^{\circ}$  F. 7 birds each;  $V_{\frac{1}{2}}$

No. 6 " " 887.22 " "

80.00 To the post at the Fair between Dec. 19. 20. 29. & 30.

North Return Sep. 19+20. L N: 6 N R N: 37.

29.50 To a N. Oak 12 in diam in the tree.

240.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which a

Mr. Oak. 10 in. diam. trunk. ST E. 31 knots and; &c

Nights 7 " " " N4E. 12 " "

80.00 Set apart for the con. of rev. 17. 18. 19. & 20 from which

B. Oak. 24 in. acir beam S35 E. 45 hnds each; 8 in

W. Oak. 12 " " " S327.28 " "

Sunde soil and timber same as last mile.

East Oua Mamdom line between Sep. 17. & 20 I N. 6 N. 3 N.

28.07 Fox Brook 12 miles wide, Canal N.

40.00 Set a temp. post for the cor. of  $\frac{1}{4}$  sec.

80.10 Intersect the N 53 line at the post cor. of Feb. 16. 17. 201.  
21. Same same a short mile.

21. Sand Snow about mile

West On the line line between Secs 17 & 20 T. 16. N. 37.

4005 Set the temp. of post at the arr. obs; on the time line  
In the cor. of  $\frac{1}{4}$  sec. from orbit &

P.B. Oak Co. near house 944 E. 15 knots over; 8 1/2

Nov 10 " " " 1287.13 " "

T. N. 6. N. R. N. 3. W. 2<sup>nd</sup> Mer. (Ind.)

80.10 To the post cor. of sec. 17, 18, 19 &amp; 20

North Return Sec. 18 &amp; 17. T. N. 6. N. R. N. 3 W.

13.00 To a Brook 10 miles wide, Course N.E.

40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which a  
W. Walnut 10 in. diam. bears S 12 W. 35 miles west; & a  
Birch 8 " " " N 31 W. 44 " "

40.50 To a Brook 12 miles wide, Course West

73.00 " " 10 " 12 " " " S W.

80.00 Set a post for the cor. of sec. 7, 8, 17 & 18. from which a  
Sugar 12 in. diam. bears S 58 W. 19 miles west; & a  
Logwood 7 " " " N 31 E. 28 " "  
Sands some at last mile.

East On a Random line between Sec. 17 &amp; 8 T. N. 6. N. R. N. 3 W.

16.50 To a Spring Run. Course South.

40.00 Set a temporary post for the cor. of  $\frac{1}{4}$  sec. from which a80.00 Intersect the N.E. line 8 miles North of the post cor.  
Sec. 8, 9, 16, 17

Sands soil and timber some at last mile.

West On the true line between Sec. 8 &amp; 17. T. N. 6. N. R. N. 3 W.

40.00 Set the temporary post at the cor. dist. on the true line  
for the cor. of  $\frac{1}{4}$  sec. from which a

Walnut 10 in. diam. bears N 87 W. 37 miles west; &amp; a

Do. 10 " " " N 84 E. 10 " "

80.00 To the post cor. of sec. 7, 8, 17 &amp; 18.

North Return Sec. 7 &amp; 8 T. N. 6. N. R. N. 3 W.

26.60 To a B. Oak. 18 in. diam. stands on the line

40.00 Set a post for the cor. of  $\frac{1}{4}$  sec. from which a

Birch 9 in. diam. bears N 2 W. 18 miles west; &amp; a

Do. 12 " " " N 75 W. 15 " "

T. N<sup>o</sup> 6. N.R. N. 3 W. 2<sup>nd</sup> Mer. (Ind.)

73.15 To a B. Oak. 24 in dia. It runs in the line  
 80.00 Set a post for the cor. of sec. 5, 6, 7 & 8. from which a  
 Birch. 12 in. dia. bears N 54 E. 34 links north; & a  
 Hick. 12 " " " S 9 E. 27 " "  
 Sands rolling; and rich; Timber Poplar, Ash, Oak  
 and Birch.

East On a Random line between Sec. 5 & 8 T. N<sup>o</sup> 6. N.R. 3 W.  
 40.00 Set a temporary post for the cor. to 1/4 sec.  
 65.00 To a Brook. 10 links wide, Corner N.  
 80.30 Intersect the N 3 line at the post cor. of sec. 4, 5, 8 & 9  
 Sands same as the last mile.

West On the true line between Sec. 5 & 8 T. N<sup>o</sup> 6. N.R. N. 3 W.  
 40.15 Set the temporary post at the cor. dist. in the true line  
 for the cor. to 1/4 sec. from which a  
 Poplar. 18 in dia. bears S 54 W. 17 links north; & a  
 Sugar 7 " " " S 1 E. 38. " "  
 80.30 To the post cor. of sec. 5, 6, 7 & 8.

West Between Sec. 6 & 7. T. N<sup>o</sup> 6. N.R. N. 3 W.  
 40.00 Set a post for the cor. of 1/4 sec.  
 80.10 To the post cor. of sec. 1 & 12 T. N<sup>o</sup> 6. N.R. N. 4 W.  
 Sand heavily under thin soil Timber Oak, & Hickory

West Between Sec. 7 & 18 T. N<sup>o</sup> 6. N.R. N. 3 W.  
 34.00 To a Brook. 13 links wide, Corner N.  
 40.00 Set a post cor. of 1/4 sec. from which a  
 Dogwood 6 in. dia. bears S 84 W. 21 links north; & a  
 Sassafras. 8 " " " S 2 E. 12 " "  
 65.00 To a Gum 12 in dia. bears in the line  
 79.75 Set a post on the West Bound 7100 links N. of the  
 post cor. of sec. 12 & 13 T. N<sup>o</sup> 6. N.R. N. 4 W. from  
 which a Dogwood 7 in dia. bears N 85 E. 15 links dist



T. N. 6. R. N. 3 W. 2<sup>nd</sup> Mer. Sec. 1:

undo a Hogwade. 7 in dia: bears N 24 W. 12 lbs dist;  
Land very hilly; Timber same as last mile.

West	Return Sep. 18 & 19 T. N. 6. R. N. 3 W.
40.00	Set a post for the cor. of 1/4 sec. from which Hickory 10 in dia: bears S 38 E. 15 links dist; to W. Oak 10 " " " N 70 W. 31 " "
81.75	Set a post on the W. Boundary (100 links N. orth of the post cor. of sec. 13 & 24. T. N. 6. R. N. 4 W. from which a Poplar 10 in dia: bears S 25 W. 14 lbs dist. undo W. Oak 10 " " " N 42 E 15 " " Land and timber same as last mile
West	Return Sep. 19 & 30 T. N. 6. R. N. 3 W.
40.00	Set a post for the cor. of 1/4 sec. from which a W. Oak 18 in dia: bears S 24 E. 5 links dist; to Do. — " " " S 14 W. 23 " "
46.00	To a Brook 10 links wide, Course N. W.
53.10	" " W. Oak 12 in dia: stands in the line
81.00	To the post cor. of sec. 24 & 25. T. N. 6. R. N. 4 W. Land soil and timber same as last mile.
West	Return Sep. 30 & 31 T. N. 6. R. N. 3 W.
18.95	To a W. Oak 10 in dia: stands in the line
40.00	Set a post for the cor. of 1/4 sec. from which a W. Oak 20 in dia: bears S 70 W. 8 links dist; to Hogwade T. " " S 59 E. 8 " "
80.19	Set a post on the West Boundary (14 links South of the post cor. of sec. 25 & 36. T. N. 6. R. N. 4 W.) from which a W. Oak 9 in. dia: bears N 43 E. 10 lbs dist; undo a Hogwade T. " " S 40 E. 35 " " Land rolling; Timber Oak & Hickory

T. N<sup>o</sup> 6. N.R. N<sup>o</sup> 3 W. 2<sup>nd</sup> Mer. Sec<sup>n</sup>.

North	Return	Sec. 5 & 6. T. N <sup>o</sup> 6. N.R. N <sup>o</sup> 3 W.
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which a Kick 10 in dir: bears S 11 E. 148 links and; by	
53.20	To a Brook 40 miles and; Course S. W.	
93.17	Intersect the N. Boundary 100 lks East of the post cor. of sec. 31 & 32. T. N <sup>o</sup> 7. N.R. N <sup>o</sup> 3 W. and set a post for the cor. of sec. 5 & 6. from which a Sugar 10 in dir: bears N 42 W. 14 lks and; by Lo. 12 " " " S 38 W. 25 " " Land very hilly; Timber Oak, Hickory.	
North	Return	Sec. 4 & 5 T. N <sup>o</sup> 6. N.R. N <sup>o</sup> 3 W.
11.00	To a Brook. 12 miles and; Course N.	
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which a Dogwood 6 in dir: bears N 53 E. 6 lks and; by W. Oak. 10 " " " S 24 E. 4 " "	
90.50	Intersect the N. Boundary. 37 lks East of the post cor. of sec. 32 & 33. T. N <sup>o</sup> 7. N.R. N <sup>o</sup> 3 W. & set a post for the cor. of sec. 4 & 5 from which a Beech. 12 in dir: bears S 68 W. 27 lks and; by Dogwood 4 " " " S 19 E. 11 " " Land soil and timber same as last mile.	
North	Return	Sec. 3 & 4 T. N <sup>o</sup> 6. N.R. N <sup>o</sup> 3 W.
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which a Gum 12 in dir: bears South 20 lks and; by	
88.90	Intersect the N. Boundary at the post cor. of sec. 33 & 34 T. N <sup>o</sup> 7. N.R. N <sup>o</sup> 3 W. Land soil and timber same as last mile.	
North	Return	Sec. 2 & 3. T. N <sup>o</sup> 6. N.R. N <sup>o</sup> 3 W.
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which a Sugar. 6 in dir: bears N 62 E. 14 links and; by	

T. N<sup>o</sup> 6. N.R. N<sup>o</sup> 3 W. 2<sup>nd</sup> Mer. (Ind.')

87.75 N. Oak, 36 in. dia: bears S.E. 53 the curb;  
To a N. Oak 12 in. dia: stands for the cor. of sec.  
213. 54 links East of the Post cor. of sec. 34 & 35  
T. N<sup>o</sup> 7. N.R. N<sup>o</sup> 3 W.  
Sands pit and timber same as last mile.

North Return Sec. 1 & 2. T. N<sup>o</sup> 6. N.R. N<sup>o</sup> 3  
40.00 Set a post for the cor. of 94 sec. from which a  
Bench 12 in. dia: bears North 44 the curb;  
85.90 To the post cor. of sec. 35 & 36. T. N<sup>o</sup> 7. N.R. N<sup>o</sup> 3 W.  
Sands pit and timber same as last mile

Surveyed by  
Arthur Henrie S. S.

1811

I certify that the foregoing transcript of  
the field notes of Township N<sup>o</sup> 6. North of Range  
N<sup>o</sup> 3 West of the 2<sup>nd</sup> Meridian, <sup>Indiana</sup> has been com-  
pared with the Original notes in this Office & found  
to be correct.

Surveyor General's Office,

Cincinnati, Dec. 15, 1840

E. S. Rains  
Sur. Genl.